ELSEVIER

Journal of Materials Processing Technology 130–131 (2002) 696–697

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volumes 130–131

Adam, C., 469
Ahn, D.G., 384
Ahn, J.H., 339, 662
Ahn, S., 321, 691
Aida, T., 421
Alinger, M.J., 69
Al-Qureshi, H.A., 135

Bae, H.S., 76
Bae, W.B., 294, 462
Bakhshiani, A., 175

Chang, S.H., 14
Chang, Y.W., 321, 691
Cho, H., 407, 416
Cho, H.Y., 524
Cho, J.R., 294, 351
Cho, K.K., 339
Choi, D.S., 363
Choi, J.C., 626
Choi, S., 76
Choi, S.-R., 477
Choi, T.H., 76
Choi, Y., 411
Chow, C.L., 107
Chun, M.S., 304, 516
Chung, S.I., 372
Chung, S.U., 685
Chung, W.J., 76
Chung, W.-S., 396
Coubrough, G.J., 69

Doege, E., 95
Duan, X., 245, 250

Evangelista, S.H., 135

Fujii, T., 151
Fukunaga, H., 289, 299
Fuyama, N., 151

Gantar, G., 54
Griesbach, B., 95
Gudimetla, P., 469
Guo, Y.-M., 444

Ha, B.K., 128
Ha, T.K., 321, 691
Haga, T., 558, 581, 594
Heo, Y.M., 14
Hong, S.I., 272, 278, 497
Hu, Z., 378
Huh, H., 482, 504
Huh, Y.M., 89
Hur, J., 378
Hur, K.-D., 411
Hwang, G.Y., 685
Hwang, S.M., 100, 128, 685
Hwang, T., 618
Hyun, D.I., 9

Im, Y.G., 372
Iseki, H., 675
Ishikawa, T., 532

Jang, J.W., 283, 546
Je, T.J., 363
Jeon, B.H., 121
Jeong, H.D., 334, 339, 372, 390
Jeong, H.G., 438
Jeong, S.C., 390
Jeong, Y.J., 680
Jiang, Z., 450
Jiang, Z.Y., 189, 219, 511
Jing, Y., 569
Jo, H.-H., 407, 416
Jo, J.G., 372
Jo, S.H., 156
Jung, D., 240
Jung, Y.D., 372
Jung, Y.-H., 357, 396
Jung, Y.H., 632, 641
Jung, Y.J., 195

Kallweit, J., 562
Kampuš, Z., 64
Kampus, Z., 310
Kang, B.S., 100, 128
Kang, B.-S., 145
Kang, B.S., 456, 685
Kang, C.-G., 1
Kang, C.G., 195, 551, 574
Kang, C.-Y., 115
Kang, G.-J., 145
Kang, M.-C., 357, 668
Kang, S.S., 9, 89, 260, 266, 283, 546
Kapranos, P., 581, 594
Kelly, J.M., 145
Keum, Y.T., 60
Khoei, A.R., 168, 175
Ki, D., 599
Kim, B.J., 304
Kim, B.-M., 2
Kim, B.M., 181, 214
Kim, B.-M., 345, 416
Kim, C., 626
Kim, D.-H., 2
Kim, D.H., 214
Kim, D.J., 456
Kim, E.G., 156
Kim, E.Z., 438
Kim, H.J., 334
Kim, H.S., 272, 497
Kim, H.Y., 121, 334, 662
Kim, H.-Y., 490
Kim, I.S., 229, 680
Kim, J., 100
Kim, J.H., 626
Kim, J.-H., 668
Kim, J.-S., 357
Kim, J.S., 641
Kim, J.-s., 668
Kim, K.H., 254, 260, 266, 283, 546, 668
Kim, K.J., 426
Kim, K.-K., 357
Kim, M.-S., 235, 240
Kim, N.-K., 357
Kim, O.S., 680
Kim, P.H., 516
Kim, S.H., 283, 482, 504
Kim, S.R., 339
Kim, S.-W., 401
Kim, S.-Y., 618
Kim, W.T., 304
Kim, Y.H., 42
Kim, Y.-H., 653
Kim, Y.-I., 647
Kim, Y.-J., 407, 416
Kim, Y.J., 462
Kim, Y.S., 278
Kimura, R., 289, 299
Kishor, N., 20
Ko, D.-C., 345
Ko, S.-L., 345, 608, 653
Kopp, R., 562
Ku, T.W., 128, 456, 685
Kuzman, K., 54, 310
Kwak, T.S., 462
Kwon, H.H., 524

Lee, B.H., 60
Lee, B.K., 524
Lee, C.H., 426
Lee, C.-M., 401
Lee, C.T., 272
Lee, C.W., 229
Lee, D.-W., 396, 401, 668
Lee, D.W., 632, 641
Lee, E.-A., 266
Lee, E.S., 334, 363
Lee, E.-s., 390
Lee, G.T., 195

Elsevier Science B.V.
PII: S0924-0136(02)00998-6

Lee, H.J., 685
Lee, H.W., 390
Lee, J., 532
Lee, J.-S., 396
Lee, J.W., 208
Lee, K., 378, 599, 618
Lee, K.O., 260
Lee, K.-W., 407
Lee, M.C., 339
Lee, M.-Y., 115
Lee, S.-B., 2
Lee, S.-G., 416
Lee, S.H., 384
Lee, S.-H., 490
Lee, S.-K., 608
Lee, S.W., 47
Lee, S.-Y., 115, 587
Lee, Y., 181, 214, 532
Lee, Y.-S., 161, 647
Lim, T.-S., 401
Lirani, J., 135
Liu, J., 569
Liu, X.H., 219
Liu, Y.J., 202
Lu, C., 189, 450

Ma, B., 450
Masuda, N., 328
Matsuki, K., 421
Min, O., 181
Mitsuhata, H., 328
Mofid, M., 175
Mok, H.S., 641
Möller, T., 562
Moon, B.-Y., 145
Moon, D.-K., 668
Moon, Y.-H., 1
Moon, Y.H., 9, 304, 516
Mori, T., 421
Müller, K.B., 432
Murotani, K., 421

Na, K.H., 76, 438
Na, K.-H., 647
Na, Y.-S., 540
Naganawa, T., 675
Nakanishi, K., 444
Nardin, B., 64, 310

Oak, S.M., 9, 304
Oh, S.I., 121
Oh, S.-I., 490, 587

Pan, J., 289, 299
Park, C.E., 229
Park, D.H., 89
Park, H.J., 351, 438
Park, H.-J., 647
Park, I.-W., 254, 546
Park, J.J., 42, 208
Park, J.M., 390
Park, K., 477
Park, K.J., 181
Park, N.-K., 540
Park, W.-J., 691
Park, Y.S., 626
Pepelnjak, T., 54
Prasad, K.D.V., 680
Prasad, Y.K.D.V., 229

Ravi Kumar, D., 20, 31
Ryu, J.-S., 240

Sasaki, G., 151, 289, 299
Seidel, H.-J., 95
Seidl, I., 562
Seo, D.G., 14
Seo, M.H., 497
Seo, M.K., 294
Seo, P.K., 551, 574
Seo, S.W., 181
Shen, Y.F., 662
Sheppard, T., 245, 250
Shin, B.S., 363
Shin, J.M., 14
Shin, Y.J., 334
Shin, Y.S., 121
So, B.S., 632
Sohn, S.-M., 115
Son, J.H., 372
Son, J.S., 229
Son, M.J., 266
Song, J.S., 272, 278
Song, W.J., 128
Sung, H.-J., 321

Takatsuji, N., 421
Tieu, A.K., 189, 202, 219, 450, 511

Uetoko, K., 421

Van Tyne, C.J., 69

Wagoner, R.H., 60
Wang, G.D., 219
Wang, S.I., 294
Whang, K.H., 363

Yanagimoto, J., 224
Yang, D.Y., 363, 384, 426
Yang, S.-H., 235
Yang, X., 569
Yang, X.J., 107
Yarlagadda, P.K.D.V., 315, 469
Yeo, H.-T., 411
Yeom, J.-T., 540
Yi, J.J., 516
Yoh, E.-G., 647
Yokoi, H., 328
Yoon, D.J., 438
Yoon, S.-Y., 260
Yoshida, M., 151, 289, 299
Youn, S.W., 551, 574
Yun, J.-W., 95

Zhang, X.M., 219

ELSEVIER

Journal of Materials Processing Technology 130–131 (2002) 698–709

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volumes 130–131

A scattered light pattern
Development of a surface roughness measurement system using reflected laser beam, 662
AA 6061
Thixoforming characteristics of thermo-mechanically treated AA 6061 alloy for suspension parts of electric vehicles, 587
ABAQUS
Finite element analysis of high strain rate superplastic forming (SPF) of Al–Ti alloys, 469
Elastic–plastic finite element method simulation of thin strip with tension in cold rolling, 511
Acoustic emission
Intelligently automated polishing for high quality surface formation of sculptured die, 339
Advancing front technique
Surface reconstruction for mid-slice generation on variable lamination manufacturing, 384
AIP
Comparison for mechanical properties between TiN and TiAlN coating layers by AIP technique, 260
Al alloy
A study on the chemical mechanical micro-machining (C3M) process and its application, 390
Al–Ti alloy systems
Finite element analysis of high strain rate superplastic forming (SPF) of Al–Ti alloys, 469
Aluminium alloy
Influence of forming parameters on the final subgrain size during hot rolling of aluminium alloys, 245
Modelling of static recrystallisation by combining FEM with empirical models, 250
Aluminium clad sheet
Brazeability of cold rolled three layer Al–7.5Si/Al–1.2Mn–2Zn–(0.04–1.0)Si/Al–7.5Si (wt.%) clad sheets, 240
Aluminum
Measurement of pressure distribution on die surface and deformation of extrusion die in hot extrusion of 1050 aluminum rod, 421
Aluminum alloy
Characterization of heat insulating and lubricating ability of powder lubricants for clean and high quality die casting, 289
Influence of abnormal structure on the reliability of squeeze castings, 299
Billetless simple thixoforming process, 581
Simple rheocasting processes, 594
Aluminum borate
Modeling of compocasting process and fabrication of AZ91D magnesium alloy matrix composites, 151
Analysis
Strategic FEM simulator for innovation of rolling mill and process, 224
Angle of contact
Angle of contact between sheet and die during stretch–bend deformation as determined on the bending-under-tension friction test system, 69
Anisotropy
Optimization of initial blank shape to minimize earing in deep drawing using finite element method, 20
Effect of process parameters on formability in incremental forming of sheet metal, 42
ANN
Application of ANN for the dimensional accuracy of workpiece in hot rod rolling process, 214
Apparent viscosity
The rheological behavior for thixocasting of semi-solid aluminum alloy (A356), 569
Approximate deformation analysis
Vertical wall surface forming of rectangular shell using multistage incremental forming with spherical and cylindrical rollers, 675
Artificial neural networks
Development of an integrated neural network system for prediction of process parameters in metal injection moulding, 315
Asperity temperature
A thermal mixed film lubrication model in cold rolling, 202
AutoCAD
A study on the automated process planning system for cold forging of non-axisymmetric parts using FVM simulation, 524
Automatic fixturing
Development of rapid manufacturing process by high-speed machining with automatic fixturing, 363
Automobile radiator
Study on the hydroforming process for automobile radiator support members, 115
5-Axis milling
Evaluation of cutter orientations in 5-axis high speed milling of turbine blade, 401

Backward tracing scheme
Preform design in hydroforming by the three-dimensional backward tracing scheme of the FEM, 100
Bar
Pass schedule algorithms for hot open die forging, 516
Base isolation
Design and manufacturing of fiber reinforced elastomeric isolator for seismic isolation, 145
Bead height
A study on prediction of bead height in robotic arc welding using a neural network, 229
Bellows
Study on the forming parameters of the metal bellows, 47
BEM
A rigid–plastic hybrid element method for simulations of metal forming, 444
Bending sequence
A study on the development of computer-aided process planning system for electric product with bending and piercing operations, 626
Billet
Pass schedule algorithms for hot open die forging, 516

Elsevier Science B.V.
PII: S0924-0136(02)00999-8

Blank shape
Study on punch load of non-axisymmetric deep drawing product according to blank shape, 89
Blanking process
Development of optimal layout design system in multihole blanking process, 2
Brazing
Brazeability of cold rolled three layer Al–7.5Si/Al–1.2Mn–2Zn–(0.04–1.0)Si/Al–7.5Si (wt.%) clad sheets, 240
Brittle damage
Integrated analysis for die design including brittle damage evolution, 647
Build orientation
Determination of optimal build orientation for hybrid rapid-prototyping, 378
Build time
Determination of optimal build orientation for hybrid rapid-prototyping, 378
Burnish zone
Finite element analysis on the effect of die clearance on shear planes in fine blanking, 462
Burr formation
Rigid-thermoviscoplastic finite element simulation of non-steady-state orthogonal cutting, 345

CAD/CAM
NC post-processor for 5-axis milling machine of table-rotating/tilting type, 641
CAE analysis
Injection moulding simulation results as an input to the injection moulding process, 310
Case reasoning
Application of intelligent design support system for multi-step deep drawing process, 76
Casting
Billetless simple thixoforming process, 581
Casting/forging
A study on the development of large aluminum flange using the casting/forging process, 294
CCD camera
Tool wear measuring technique on the machine using CCD and exclusive jig, 668
Chemical and mechanical characteristics
A study on the chemical mechanical micro-machining (C3M) process and its application, 390
Chemical mechanical micro-machining
A study on the chemical mechanical micro-machining (C3M) process and its application, 390
Chemical mechanical polishing
Friction and thermal phenomena in chemical mechanical polishing, 334
Chemically reacted layer
A study on the chemical mechanical micro-machining (C3M) process and its application, 390
Chip formation
Rigid-thermoviscoplastic finite element simulation of non-steady-state orthogonal cutting, 345
Chlorine
Effect of chlorine on the tensile behavior of reactive-sintered TiAl–Mn alloys, 235
Clearance
Finite element analysis on the effect of die clearance on shear planes in fine blanking, 462
Clearance angle
Development of design and manufacturing technology for end mills in machining hardened steel, 653
Closed loop control
Contactless on-line measurement of material flow for closed loop control of deep drawing, 95
Cold forging
A study on the automated process planning system for cold forging of non-axisymmetric parts using FVM simulation, 524
Cold forging die
Analysis of the elastic characteristics at forging die for the cold forged dimensional accuracy, 532
Cold rolled coil
Coupled thermal deformation analysis considering strip tension and with/without strip crown in coiling process of cold rolled strip, 195
Cold rolling
A thermal mixed film lubrication model in cold rolling, 202
Deformation processing and mechanical properties of Cu–Cr–X (X = Ag or Co) microcomposites, 272
Cold working
Thermo-mechanical processing and properties of Cu–Fe–Cr microcomposites, 278
Compocasting
Modeling of compocasting process and fabrication of AZ91D magnesium alloy matrix composites, 151
Composites
Modeling of compocasting process and fabrication of AZ91D magnesium alloy matrix composites, 151
Compressible plasticity
Development of constitutive equations for plastic deformation of a porous material using numerical experiments, 161
Compression test
The effect of test specimen size and strain-rate on liquid segregation in deformation behavior of mushy state material, 551
Fabrication of spray-formed hypereutectic Al–25Si alloy and its deformation behavior, 691
Computer simulation
Injection moulding simulation results as an input to the injection moulding process, 310
Computer-aided manufacturing
Development of simulation system for machining process using enhanced Z map model, 608
Constitutive equation
A study for the constitutive equation of carbon steel subjected to large strains, high temperatures and high strain rates, 181
Constitutive modelling
Finite element analysis of high strain rate superplastic forming (SPF) of Al–Ti alloys, 469
Constrained groove pressing
Numerical and experimental investigations of constrained groove pressing and rolling for grain refinement, 208
Constrained groove rolling
Numerical and experimental investigations of constrained groove pressing and rolling for grain refinement, 208
Continuous casting
Semisolid strip casting using a twin roll caster equipped with a cooling slope, 558
Control
Intelligently automated polishing for high quality surface formation of sculptured die, 339
Convex hull
A grouping algorithm for custom-tailored products, 618
Copper
Thermo-mechanical processing and properties of Cu–Fe–Cr microcomposites, 278
100Cr6
Forming and joining of commercial steel grades in the semi-solid state, 562

Crashworthiness
Cylindrical tube optimization using response surface method based on stochastic process, 490
Cu wiredrawing
Effect of reduction ratio, inclusion size and distance between inclusions on wire breaks in Cu fine wiredrawing, 416
Cube corner
Shape design of efficient retroreflective articles, 632
Custom-tailored product
A grouping algorithm for custom-tailored products, 618
Cutter orientation
Evaluation of cutter orientations in 5-axis high speed milling of turbine blade, 401
Cutting path
Surface reconstruction for mid-slice generation on variable lamination manufacturing, 384
CVC roll
Numerical modelling of the thermal deformation of CVC roll in hot strip rolling, 219
Cylinder linear
Mechanical characteristics evaluation of hollow shape part with metal matrix composites fabricated by thixoforging process, 574

Deep drawing
Optimization of initial blank shape to minimize earing in deep drawing using finite element method, 20
Application of intelligent design support system for multi-step deep drawing process, 76
Contactless on-line measurement of material flow for closed loop control of deep drawing, 95
Deformation homogeneity
Finite element analysis of equal channel angular pressing of strain rate sensitive metals, 497
Deformation limit diagram
Vertical wall surface forming of rectangular shell using multistage incremental forming with spherical and cylindrical rollers, 675
Deformation stability
Characterization of deformation stability in hot forging of conventional Ti–6Al–4V using processing maps, 540
Design of isolator
Design and manufacturing of fiber reinforced elastomeric isolator for seismic isolation, 145
Design parameters
Development of design and manufacturing technology for end mills in machining hardened steel, 653
Design sensitivity analysis
Design sensitivity analysis of sheet metal forming processes with a direct differentiation method, 504
Design support system
Application of intelligent design support system for multi-step deep drawing process, 76
Diameter ratio
Design for stiffness reinforcement in backward extrusion die, 411
Die casting
Characterization of heat insulating and lubricating ability of powder lubricants for clean and high quality die casting, 289
Die corner gap
Finite element analysis of equal channel angular pressing of strain rate sensitive metals, 497
Die layout
A study on the development of computer-aided process planning system for electric product with bending and piercing operations, 626
Die manufacturing
Part decomposition for die pattern machining, 599
Die-roll
Finite element analysis on the effect of die clearance on shear planes in fine blanking, 462
Dimensional accuracy
Design for stiffness reinforcement in backward extrusion die, 411
Direct differentiation method
Design sensitivity analysis of sheet metal forming processes with a direct differentiation method, 504
Direct mesh mapping scheme
Construction of sliding constraint surfaces and initial guess shapes for intermediate steps in multi-step finite element inverse analysis, 482
Distribution of fiber contents
Effect of product geometry on fiber orientation of compression-molded rib type products, 156
Duplex process
Deposition of hard films on hot-working steel dies for aluminium, 432
Dynamic materials modeling
Characterization of deformation stability in hot forging of conventional Ti–6Al–4V using processing maps, 540

Earing
Optimization of initial blank shape to minimize earing in deep drawing using finite element method, 20
Elastic deformation
Analysis of the elastic characteristics at forging die for the cold forged dimensional accuracy, 532
Elastic entry and exit
Elastic–plastic finite element method simulation of thin strip with tension in cold rolling, 511
Electrical properties
Thermo-mechanical processing and properties of Cu–Fe–Cr micro-composites, 278
Embossing
Finite element analysis for the lamination process of a precision motor core using progressive stacking dies, 477
Endochronic theory
Modelling of powder compaction process using an endochronic plasticity model, 175
Engine mount bracket
Prototype tryout and die design for automotive parts using welded blank hydroforming, 121
Equal channel angular pressing
Finite element analysis of equal channel angular pressing of strain rate sensitive metals, 497
Exclusive jig
Tool wear measuring technique on the machine using CCD and exclusive jig, 668
Expanding test
Investigation into the improvement of welding strength in three-dimensional extrusion of tubes using porthole dies, 426
Experiment
Finite element analysis of multi-stage deep drawing process for high-precision rectangular case with extreme aspect ratio, 128
Experiment of mechanical properties
Design and manufacturing of fiber reinforced elastomeric isolator for seismic isolation, 145
Extra-deep drawing steel
Formability analysis of extra-deep drawing steel, 31
Extreme aspect ratio
Finite element analysis of multi-stage deep drawing process for high-precision rectangular case with extreme aspect ratio, 128
Extrudability
Extrudability improvement and energy consumption estimation in Al extrusion process of a 7003 alloy, 407

Extrusion
Deposition of hard films on hot-working steel dies for aluminium, 432
Extrusion die deformation
Measurement of pressure distribution on die surface and deformation of extrusion die in hot extrusion of 1050 aluminum rod, 421

Failure
Bursting for fixed tubular and restrained hydroforming, 107
Fatigue
Integrated analysis for die design including brittle damage evolution, 647
FE analysis
Development and manufacturing of hexahedral type vibration motor used for mobile phone, 685
FEM
Effect of process parameters on formability in incremental forming of sheet metal, 42
Study on the forming parameters of the metal bellows, 47
Improving workability in ironing, 64
Preform design in hydroforming by the three-dimensional backward tracing scheme of the FEM, 100
Influence of forming parameters on the final subgrain size during hot rolling of aluminium alloys, 245
Modelling of static recrystallisation by combining FEM with empirical models, 250
Analysis of the elastic characteristics at forging die for the cold forged dimensional accuracy, 532
FEM analysis
Effect of reduction ratio, inclusion size and distance between inclusions on wire breaks in Cu fine wiredrawing, 416
FEM simulation
Application of intelligent design support system for multi-step deep drawing process, 76
Ferrite–bainite duplex steel
Estimation of hole flangeability for high strength steel plates, 9
Fiber orientation function
Effect of product geometry on fiber orientation of compression-molded rib type products, 156
Fiber reinforced elastomeric isolator
Design and manufacturing of fiber reinforced elastomeric isolator for seismic isolation, 145
Film temperature
A thermal mixed film lubrication model in cold rolling, 202
Fine blanking
Finite element analysis on the effect of die clearance on shear planes in fine blanking, 462
Finite element
Implementing a modified Marciniak–Kuczynski model using the finite element method for the simulation of sheet metal deep drawing, 135
Finite element analyses
A study on the thermal behavior of fabrication processes for micro-accelerometer by SOI wafers, 680
Finite element analysis
Modeling of the friction caused by lubrication and surface roughness in sheet metal forming, 60
Finite element inverse analysis
Construction of sliding constraint surfaces and initial guess shapes for intermediate steps in multi-step finite element inverse analysis, 482
Finite element method
Optimization of initial blank shape to minimize earing in deep drawing using finite element method, 20
Finite element analysis of multi-stage deep drawing process for high-precision rectangular case with extreme aspect ratio, 128
Strategic FEM simulator for innovation of rolling mill and process, 224
Finite element analysis of micro-rolling using grain and grain boundary elements, 456
Finite element analysis for the lamination process of a precision motor core using progressive stacking dies, 477
Finite element analysis of equal channel angular pressing of strain rate sensitive metals, 497
FE program development for predicting thermal deformation in heat treatment, 546
Finite element method (FEM)
Numerical and experimental investigations of constrained groove pressing and rolling for grain refinement, 208
Finite element model
An integrated software environment for finite element simulation of powder compaction processes, 168
Finite strains
Modelling of powder compaction process using an endochronic plasticity model, 175
Finite-element modelling
A finite-element simulation of asperity flattening in metal forming, 450
First stress ring
Design for stiffness reinforcement in backward extrusion die, 411
Flat pattern layout
A study on the development of computer-aided process planning system for electric product with bending and piercing operations, 626
Fluid viscosity
Physical modeling of bubble generation in foamed-aluminum, 304
Foamed-aluminum
Physical modeling of bubble generation in foamed-aluminum, 304
Folding
Study on the forming parameters of the metal bellows, 47
Forces
Improving workability in ironing, 64
Forging
A rigid–plastic hybrid element method for simulations of metal forming, 444
Forging pass schedule
Pass schedule algorithms for hot open die forging, 516
Formability
Effect of process parameters on formability in incremental forming of sheet metal, 42
Forming limit diagram
Formability analysis of extra-deep drawing steel, 31
Vertical wall surface forming of rectangular shell using multistage incremental forming with spherical and cylindrical rollers, 675
Forming limit diagrams
Implementing a modified Marciniak–Kuczynski model using the finite element method for the simulation of sheet metal deep drawing, 135
Fountain flow
Visualization analysis of flow front behavior during filling process of injection mold cavity by two-axis tracking system, 328
Four-step machining
Development of rapid manufacturing process by high-speed machining with automatic fixturing, 363
FPD (functional prototype development)
Functional prototype development: inner visible multi-color prototype fabrication process using stereo lithography, 372
Fracture zone
Finite element analysis on the effect of die clearance on shear planes in fine blanking, 462
Free form surface machining
A study on the precision machinability of ball end milling by cutting speed optimization, 357

Friction
Angle of contact between sheet and die during stretch–bend deformation as determined on the bending-under-tension friction test system, 69
A finite-element simulation of asperity flattening in metal forming, 450
Friction coefficient
Modeling of the friction caused by lubrication and surface roughness in sheet metal forming, 60
Friction and thermal phenomena in chemical mechanical polishing, 334
Friction model
Modeling of the friction caused by lubrication and surface roughness in sheet metal forming, 60
Functionally graded material
High strength FGM cutting tools: finite element analysis on thermoelastic characteristics, 351
Fuzzy set theory
A study on the development of computer-aided process planning system for electric product with bending and piercing operations, 626
FVM
A study on the automated process planning system for cold forging of non-axisymmetric parts using FVM simulation, 524

Genetic algorithm
Development and manufacturing of hexahedral type vibration motor used for mobile phone, 685
Glass
A study on micro-grooving characteristics of planar lightwave circuit and glass using ultrasonic vibration cutting, 396
Global optimization
Cylindrical tube optimization using response surface method based on stochastic process, 490
Graded region ratio
High strength FGM cutting tools: finite element analysis on thermoelastic characteristics, 351
Grain boundary element
Finite element analysis of micro-rolling using grain and grain boundary elements, 456
Grain element
Finite element analysis of micro-rolling using grain and grain boundary elements, 456
Grain refinement
Numerical and experimental investigations of constrained groove pressing and rolling for grain refinement, 208
Grain size
Influence of forming parameters on the final subgrain size during hot rolling of aluminium alloys, 245

Hard films
Deposition of hard films on hot-working steel dies for aluminium, 432
Hardness
Synthesis and mechanical evaluation of nanocomposite coating layer of nc-TiN/a-Si_3N_4 on SKD 11 steel by sputtering, 283
Heat transfer analysis
Coupled thermal deformation analysis considering strip tension and with/without strip crown in coiling process of cold rolled strip, 195
Heat transfer coefficient
Characterization of heat insulating and lubricating ability of powder lubricants for clean and high quality die casting, 289
Heat treatment
FE program development for predicting thermal deformation in heat treatment, 546
Helical flutes
Development of design and manufacturing technology for end mills in machining hardened steel, 653
High speed machining
A study on the precision machinability of ball end milling by cutting speed optimization, 357
Tool wear measuring technique on the machine using CCD and exclusive jig, 668
High speed milling
Evaluation of cutter orientations in 5-axis high speed milling of turbine blade, 401
High strain rate
A study for the constitutive equation of carbon steel subjected to large strains, high temperatures and high strain rates, 181
High strength steel
Estimation of hole flangeability for high strength steel plates, 9
High temperature
A study for the constitutive equation of carbon steel subjected to large strains, high temperatures and high strain rates, 181
High-speed machining
Development of rapid manufacturing process by high-speed machining with automatic fixturing, 363
HisRP
Development of rapid manufacturing process by high-speed machining with automatic fixturing, 363
Hole flanging
Estimation of hole flangeability for high strength steel plates, 9
Hot extrusion
Measurement of pressure distribution on die surface and deformation of extrusion die in hot extrusion of 1050 aluminum rod, 421
Fabrication of spray-formed hypereutectic Al–25Si alloy and its deformation behavior, 691
Hot rolling
Numerical modelling of the thermal deformation of CVC roll in hot strip rolling, 219
Modelling of static recrystallisation by combining FEM with empirical models, 250
Hot tube extrusion
Investigation into the improvement of welding strength in three-dimensional extrusion of tubes using porthole dies, 426
Hump
Elastic–plastic finite element method simulation of thin strip with tension in cold rolling, 511
Hybrid rapid prototyping
Determination of optimal build orientation for hybrid rapid-prototyping, 378
Part decomposition for die pattern machining, 599
Hydroforming
Preform design in hydroforming by the three-dimensional backward tracing scheme of the FEM, 100
Bursting for fixed tubular and restrained hydroforming, 107
Study on the hydroforming process for automobile radiator support members, 115
Hydrostatic extrusion
The influence by hydrostatic extrusion on the microstructure and extrudability of the IM processed hypereutectic Al–Si–X alloys, 438
Hypereutectic Al–25Si alloy
Fabrication of spray-formed hypereutectic Al–25Si alloy and its deformation behavior, 691
Hypereutectic Al–Si–X alloys
The influence by hydrostatic extrusion on the microstructure and extrudability of the IM processed hypereutectic Al–Si–X alloys, 438
Hypoelastic model
Modelling of powder compaction process using an endochronic plasticity model, 175

IC leadframe
Development of optimal layout design system in multihole blanking process, 2
Image processing
Effect of product geometry on fiber orientation of compression-molded rib type products, 156
Impact
Comparison for mechanical properties between TiN and TiAlN coating layers by AIP technique, 260
Inclusion size
Effect of reduction ratio, inclusion size and distance between inclusions on wire breaks in Cu fine wiredrawing, 416
Incremental forming
Effect of process parameters on formability in incremental forming of sheet metal, 42
Vertical wall surface forming of rectangular shell using multistage incremental forming with spherical and cylindrical rollers, 675
Ingot
Pass schedule algorithms for hot open die forging, 516
Ingot metallurgy
The influence by hydrostatic extrusion on the microstructure and extrudability of the IM processed hypereutectic Al–Si–X alloys, 438
Initial guess generation
Construction of sliding constraint surfaces and initial guess shapes for intermediate steps in multi-step finite element inverse analysis, 482
Injection molding
Visualization analysis of flow front behavior during filling process of injection mold cavity by two-axis tracking system, 328
Injection moulding
Injection moulding simulation results as an input to the injection moulding process, 310
Injection moulding machines
Injection moulding simulation results as an input to the injection moulding process, 310
Inner visible multi-color prototype
Functional prototype development: inner visible multi-color prototype fabrication process using stereo lithography, 372
Interference
Design for stiffness reinforcement in backward extrusion die, 411
Internal visualization
Functional prototype development: inner visible multi-color prototype fabrication process using stereo lithography, 372
Ironing with superimposed force
Improving workability in ironing, 64

Joining
Forming and joining of commercial steel grades in the semi-solid state, 562

Knowledge based rules
A study on the development of computer-aided process planning system for electric product with bending and piercing operations, 626

Lamination
Finite element analysis for the lamination process of a precision motor core using progressive stacking dies, 477
Large aluminum flange
A study on the development of large aluminum flange using the casting/forging process, 294
LCA
Extrudability improvement and energy consumption estimation in Al extrusion process of a 7003 alloy, 407
Lead shift
Development of optimal layout design system in multihole blanking process, 2
Lead/tilt angle
Evaluation of cutter orientations in 5-axis high speed milling of turbine blade, 401
Limiting draw ratio
Optimization of initial blank shape to minimize earing in deep drawing using finite element method, 20
Lip
Estimation of hole flangeability for high strength steel plates, 9
Liquid segregation
The effect of test specimen size and strain-rate on liquid segregation in deformation behavior of mushy state material, 551
Load relaxation tests
Fabrication of spray-formed hypereutectic Al–25Si alloy and its deformation behavior, 691
Long fiber-reinforced polymeric composites
Effect of product geometry on fiber orientation of compression-molded rib type products, 156
Low melting point metal alloys
Development of rapid manufacturing process by high-speed machining with automatic fixturing, 363
Low speed electric vehicle
Thixoforming characteristics of thermo-mechanically treated AA 6061 alloy for suspension parts of electric vehicles, 587
Lubricant
Characterization of heat insulating and lubricating ability of powder lubricants for clean and high quality die casting, 289
Lubricant viscosity
Modeling of the friction caused by lubrication and surface roughness in sheet metal forming, 60

M2 tool steel
Forming and joining of commercial steel grades in the semi-solid state, 562
Machining process simulation
Development of simulation system for machining process using enhanced Z map model, 608
Magnesium alloy
Modeling of compocasting process and fabrication of AZ91D magnesium alloy matrix composites, 151
Material composition continuity
High strength FGM cutting tools: finite element analysis on thermoelastic characteristics, 351
Material flow
Contactless on-line measurement of material flow for closed loop control of deep drawing, 95
Material removal mechanism
Friction and thermal phenomena in chemical mechanical polishing, 334
MatLAB
Development of an integrated neural network system for prediction of process parameters in metal injection moulding, 315
Mechanical properties
Thermo-mechanical processing and properties of Cu–Fe–Cr microcomposites, 278
Mechanical characteristics evaluation of hollow shape part with metal matrix composites fabricated by thixoforging process, 574
Mechanical property
Influence of abnormal structure on the reliability of squeeze castings, 299
Medium strength A7003 alloy
Extrudability improvement and energy consumption estimation in Al extrusion process of a 7003 alloy, 407

Mesh size sensitivity
Finite element analysis of equal channel angular pressing of strain rate sensitive metals, 497
Metal cutting tool
High strength FGM cutting tools: finite element analysis on thermoelastic characteristics, 351
Metal forming
A rigid–plastic hybrid element method for simulations of metal forming, 444
Metal injection moulding
Development of an integrated neural network system for prediction of process parameters in metal injection moulding, 315
Metal matrix composites
Mechanical characteristics evaluation of hollow shape part with metal matrix composites fabricated by thixoforging process, 574
Method of least squares
A study on prediction of bead height in robotic arc welding using a neural network, 229
Mg content
Extrudability improvement and energy consumption estimation in Al extrusion process of a 7003 alloy, 407
Micro-accelerometer
A study on the thermal behavior of fabrication processes for micro-accelerometer by SOI wafers, 680
Microcomposite
Deformation processing and mechanical properties of Cu–Cr–X (X = Ag or Co) microcomposites, 272
Micro-forming
Finite element analysis of micro-rolling using grain and grain boundary elements, 456
Micro-grooving
A study on micro-grooving characteristics of planar lightwave circuit and glass using ultrasonic vibration cutting, 396
Micro-hardness
Coating materials of TiN, Ti–Al–N, and Ti–Si–N by plasma-enhanced chemical vapor deposition for mechanical applications, 254
Micro-machining processes
A study on the thermal behavior of fabrication processes for micro-accelerometer by SOI wafers, 680
Micro-mechanical tool
A study on the chemical mechanical micro-machining (C3M) process and its application, 390
Micro-strip rolling
Finite element analysis of micro-rolling using grain and grain boundary elements, 456
Microstructure
Modeling of compocasting process and fabrication of AZ91D magnesium alloy matrix composites, 151
Brazeability of cold rolled three layer Al–7.5Si/Al–1.2Mn–2Zn–(0.04–1.0)Si/Al–7.5Si (wt.%) clad sheets, 240
Thermo-mechanical processing and properties of Cu–Fe–Cr micro-composites, 278
The influence by hydrostatic extrusion on the microstructure and extrudability of the IM processed hypereutectic Al–Si–X alloys, 438
Mixed film lubrication
A thermal mixed film lubrication model in cold rolling, 202
Mold
Visualization analysis of flow front behavior during filling process of injection mold cavity by two-axis tracking system, 328
Motor core
Finite element analysis for the lamination process of a precision motor core using progressive stacking dies, 477
Mould filling
Development of an integrated neural network system for prediction of process parameters in metal injection moulding, 315
Multi-direction machining
Part decomposition for die pattern machining, 599
Multi-pass welding
A study on prediction of bead height in robotic arc welding using a neural network, 229
Multipoint-blank holder
Contactless on-line measurement of material flow for closed loop control of deep drawing, 95
Multi-stage deep drawing process
Finite element analysis of multi-stage deep drawing process for high-precision rectangular case with extreme aspect ratio, 128

Nanocomposite
Synthesis and mechanical evaluation of nanocomposite coating layer of nc-TiN/a-Si_3N_4 on SKD 11 steel by sputtering, 283
NC
NC post-processor for 5-axis milling machine of table-rotating/tilting type, 641
NC code verification
Development of simulation system for machining process using enhanced Z map model, 608
nc-TiN/a-Si_3N_4
Synthesis and mechanical evaluation of nanocomposite coating layer of nc-TiN/a-Si_3N_4 on SKD 11 steel by sputtering, 283
Necking
Implementing a modified Marciniak–Kuczynski model using the finite element method for the simulation of sheet metal deep drawing, 135
Neural network
A study on prediction of bead height in robotic arc welding using a neural network, 229
Pass schedule algorithms for hot open die forging, 516
Non-axisymmertric deep drawing
Study on punch load of non-axisymmetric deep drawing product according to blank shape, 89
Non-axisymmetric parts
A study on the automated process planning system for cold forging of non-axisymmetric parts using FVM simulation, 524
Nonhomogeneity
Effect of product geometry on fiber orientation of compression-molded rib type products, 156
Non-traditional machining
Vertical wall surface forming of rectangular shell using multistage incremental forming with spherical and cylindrical rollers, 675
Normal anisotropy
Formability analysis of extra-deep drawing steel, 31
Numerical modelling
Numerical modelling of the thermal deformation of CVC roll in hot strip rolling, 219
Numerical simulations
Optimization of sheet metal forming processes by the use of numerical simulations, 54

On the machine measurement
Development of a surface roughness measurement system using reflected laser beam, 662
Open die forging
Pass schedule algorithms for hot open die forging, 516
Optimal shape
Shape design of efficient retroreflective articles, 632
Optimisation
Development of an integrated neural network system for prediction of process parameters in metal injection moulding, 315

Optimization
Optimization of sheet metal forming processes by the use of numerical simulations, 54
Development and manufacturing of hexahedral type vibration motor used for mobile phone, 685
Oxidation
Coating materials of TiN, Ti–Al–N, and Ti–Si–N by plasma-enhanced chemical vapor deposition for mechanical applications, 254

PACVD
Deposition of hard films on hot-working steel dies for aluminium, 432
Parametric investigation
High strength FGM cutting tools: finite element analysis on thermoelastic characteristics, 351
Part decomposition
Part decomposition for die pattern machining, 599
Pattern manufacture
Part decomposition for die pattern machining, 599
PECVD
Coating materials of TiN, Ti–Al–N, and Ti–Si–N by plasma-enhanced chemical vapor deposition for mechanical applications, 254
Properties of TiBN coating on the tool steels by PECVD and its applications, 266
Petal
Estimation of hole flangeability for high strength steel plates, 9
17-4 PH stainless steel
Powder injection molding of a 17-4 PH stainless steel and the effect of sintering temperature on its microstructure and mechanical properties, 321
Phase reverse
NC post-processor for 5-axis milling machine of table-rotating/tilting type, 641
Physical modeling
Physical modeling of bubble generation in foamed-aluminum, 304
Planar lightwave circuit
A study on micro-grooving characteristics of planar lightwave circuit and glass using ultrasonic vibration cutting, 396
Plasma
Properties of TiBN coating on the tool steels by PECVD and its applications, 266
Plasma nitriding
Deposition of hard films on hot-working steel dies for aluminium, 432
Plastic deformation
Modelling of powder compaction process using an endochronic plasticity model, 175
A study for the constitutive equation of carbon steel subjected to large strains, high temperatures and high strain rates, 181
Plasticity
Bursting for fixed tubular and restrained hydroforming, 107
PN
Deposition of hard films on hot-working steel dies for aluminium, 432
Polishing
Intelligently automated polishing for high quality surface formation of sculptured die, 339
Polishing temperature
Friction and thermal phenomena in chemical mechanical polishing, 334
Porosities
The effect of test specimen size and strain-rate on liquid segregation in deformation behavior of mushy state material, 551
Porosity
Powder injection molding of a 17-4 PH stainless steel and the effect of sintering temperature on its microstructure and mechanical properties, 321
Porous materials
Development of constitutive equations for plastic deformation of a porous material using numerical experiments, 161
Porthole die
Investigation into the improvement of welding strength in three-dimensional extrusion of tubes using porthole dies, 426
Post-processing
An integrated software environment for finite element simulation of powder compaction processes, 168
Post-processor
NC post-processor for 5-axis milling machine of table-rotating/tilting type, 641
Powder compaction
Modelling of powder compaction process using an endochronic plasticity model, 175
Powder compaction software
An integrated software environment for finite element simulation of powder compaction processes, 168
Powder injection molding
Powder injection molding of a 17-4 PH stainless steel and the effect of sintering temperature on its microstructure and mechanical properties, 321
Pre-form design
Preform design in hydroforming by the three-dimensional backward tracing scheme of the FEM, 100
A study on the development of large aluminum flange using the casting/forging process, 294
Pre-forming
Study on the hydroforming process for automobile radiator support members, 115
Pre-processing
An integrated software environment for finite element simulation of powder compaction processes, 168
Pressure distribution
Measurement of pressure distribution on die surface and deformation of extrusion die in hot extrusion of 1050 aluminum rod, 421
Process design
Application of intelligent design support system for multi-step deep drawing process, 76
Process parameter
Effect of process parameters on formability in incremental forming of sheet metal, 42
A study on prediction of bead height in robotic arc welding using a neural network, 229
Process planning
A study on the automated process planning system for cold forging of non-axisymmetric parts using FVM simulation, 524
Profile radii of punch
Study on punch load of non-axisymmetric deep drawing product according to blank shape, 89
Progressive die
Finite element analysis for the lamination process of a precision motor core using progressive stacking dies, 477
Progressive dies
Development of optimal layout design system in multihole blanking process, 2
Propeller stirrer
Physical modeling of bubble generation in foamed-aluminum, 304
Properties of slurry
Friction and thermal phenomena in chemical mechanical polishing, 334

Pulling down of rib height
Thermo-mechanical analysis of ribbed strip rolling by a three-dimensional rigid–visco-plastic FEM, 189
Punch load
Study on punch load of non-axisymmetric deep drawing product according to blank shape, 89

Rake angle
Development of design and manufacturing technology for end mills in machining hardened steel, 653
Rapid prototyping
Functional prototype development: inner visible multi-color prototype fabrication process using stereo lithography, 372
Surface reconstruction for mid-slice generation on variable lamination manufacturing, 384
Reactive sintering
Effect of chlorine on the tensile behavior of reactive-sintered TiAl–Mn alloys, 235
Rectangular drawn section
Finite element analysis of multi-stage deep drawing process for high-precision rectangular case with extreme aspect ratio, 128
Reduction ratio
Effect of reduction ratio, inclusion size and distance between inclusions on wire breaks in Cu fine wiredrawing, 416
Reflective sheet
Shape design of efficient retroreflective articles, 632
Reliability
Influence of abnormal structure on the reliability of squeeze castings, 299
Response surface method
Cylindrical tube optimization using response surface method based on stochastic process, 490
Rheocasting
Semisolid strip casting using a twin roll caster equipped with a cooling slope, 558
Simple rheocasting processes, 594
Rib height
Thermo-mechanical analysis of ribbed strip rolling by a three-dimensional rigid–visco-plastic FEM, 189
Rib type compression molding
Effect of product geometry on fiber orientation of compression-molded rib type products, 156
Ribbed strip
Thermo-mechanical analysis of ribbed strip rolling by a three-dimensional rigid–visco-plastic FEM, 189
Rigid–plastic FEM
A rigid–plastic hybrid element method for simulations of metal forming, 444
Rigid–plastic hybrid element method
A rigid–plastic hybrid element method for simulations of metal forming, 444
Rigid-thermoviscoplastic finite element method
Rigid-thermoviscoplastic finite element simulation of non-steady-state orthogonal cutting, 345
Rigid–visco-plastic FEM
Thermo-mechanical analysis of ribbed strip rolling by a three-dimensional rigid–visco-plastic FEM, 189
Rod rolling
A study for the constitutive equation of carbon steel subjected to large strains, high temperatures and high strain rates, 181
Roll gap
Application of ANN for the dimensional accuracy of workpiece in hot rod rolling process, 214
Roll wear
Application of ANN for the dimensional accuracy of workpiece in hot rod rolling process, 214
Rolling
Strategic FEM simulator for innovation of rolling mill and process, 224
Influence of forming parameters on the final subgrain size during hot rolling of aluminium alloys, 245
Round–oval (oval–round) pass
Application of ANN for the dimensional accuracy of workpiece in hot rod rolling process, 214
RPM
Development of rapid manufacturing process by high-speed machining with automatic fixturing, 363

Sagging resistance
Brazeability of cold rolled three layer Al–7.5Si/Al–1.2Mn–2Zn–(0.04–1.0)Si/Al–7.5Si (wt.%) clad sheets, 240
Scaling
Development of constitutive equations for plastic deformation of a porous material using numerical experiments, 161
SEM
A study on the chemical mechanical micro-machining (C3M) process and its application, 390
Semisolid
Semisolid strip casting using a twin roll caster equipped with a cooling slope, 558
Billetless simple thixoforming process, 581
Simple rheocasting processes, 594
Semi-solid material
The effect of test specimen size and strain-rate on liquid segregation in deformation behavior of mushy state material, 551
Sensor
Contactless on-line measurement of material flow for closed loop control of deep drawing, 95
Severe plastic deformation
Finite element analysis of equal channel angular pressing of strain rate sensitive metals, 497
Shape similarity assessment
A grouping algorithm for custom-tailored products, 618
Shear rate
The rheological behavior for thixocasting of semi-solid aluminum alloy (A356), 569
Shearing viscosity
Development of constitutive equations for plastic deformation of a porous material using numerical experiments, 161
Sheet metal
Effect of process parameters on formability in incremental forming of sheet metal, 42
Sheet metal forming
Optimization of sheet metal forming processes by the use of numerical simulations, 54
Modeling of the friction caused by lubrication and surface roughness in sheet metal forming, 60
Implementing a modified Marciniak–Kuczynski model using the finite element method for the simulation of sheet metal deep drawing, 135
Vertical wall surface forming of rectangular shell using multistage incremental forming with spherical and cylindrical rollers, 675
Sheet metal forming process
Design sensitivity analysis of sheet metal forming processes with a direct differentiation method, 504
Shrink-fit
Integrated analysis for die design including brittle damage evolution, 647
Shrink-fitting
Analysis of the elastic characteristics at forging die for the cold forged dimensional accuracy, 532

Si wafer
A study on the chemical mechanical micro-machining (C3M) process and its application, 390
Sieve stirrer
Physical modeling of bubble generation in foamed-aluminum, 304
Silicon content
Brazeability of cold rolled three layer Al–7.5Si/Al–1.2Mn–2Zn–(0.04–1.0)Si/Al–7.5Si (wt.%) clad sheets, 240
Simulation
Elastic–plastic finite element method simulation of thin strip with tension in cold rolling, 511
Shape design of efficient retroreflective articles, 632
Simulation of end mill configuration
Development of design and manufacturing technology for end mills in machining hardened steel, 653
Sintered carbide
Design for stiffness reinforcement in backward extrusion die, 411
Sintering
Powder injection molding of a 17-4 PH stainless steel and the effect of sintering temperature on its microstructure and mechanical properties, 321
Sliding constraint surface
Construction of sliding constraint surfaces and initial guess shapes for intermediate steps in multi-step finite element inverse analysis, 482
Solid state bonding
Investigation into the improvement of welding strength in three-dimensional extrusion of tubes using porthole dies, 426
Spheroidal microstructure
Billetless simple thixoforming process, 581
Simple rheocasting processes, 594
Spray forming
Fabrication of spray-formed hypereutectic Al–25Si alloy and its deformation behavior, 691
Springback
Springback characteristics of the tailor-welded strips in U-bending, 14
Study on the forming parameters of the metal bellows, 47
Squeeze casting
Influence of abnormal structure on the reliability of squeeze castings, 299
Static recrystallisation
Modelling of static recrystallisation by combining FEM with empirical models, 250
Steel reinforced elastomeric isolator
Design and manufacturing of fiber reinforced elastomeric isolator for seismic isolation, 145
Steering knuckle
Thixoforming characteristics of thermo-mechanically treated AA 6061 alloy for suspension parts of electric vehicles, 587
Stereolithography
Functional prototype development: inner visible multi-color prototype fabrication process using stereo lithography, 372
Stiffness
Design for stiffness reinforcement in backward extrusion die, 411
Stirring velocity
Physical modeling of bubble generation in foamed-aluminum, 304
Stochastic process
Cylindrical tube optimization using response surface method based on stochastic process, 490
Strain distribution
Formability analysis of extra-deep drawing steel, 31
Strain gage
Analysis of the elastic characteristics at forging die for the cold forged dimensional accuracy, 532
Strain hardening coefficient
Formability analysis of extra-deep drawing steel, 31
Strength
Deformation processing and mechanical properties of Cu–Cr–X (X = Ag or Co) microcomposites, 272
Stress concentration relaxation
High strength FGM cutting tools: finite element analysis on thermoelastic characteristics, 351
Stresses
Improving workability in ironing, 64
Stress-ring
Integrated analysis for die design including brittle damage evolution, 647
Stretch–bend deformation
Angle of contact between sheet and die during stretch–bend deformation as determined on the bending-under-tension friction test system, 69
Strip casting
Semisolid strip casting using a twin roll caster equipped with a cooling slope, 558
Strip crown
Coupled thermal deformation analysis considering strip tension and with/without strip crown in coiling process of cold rolled strip, 195
Strip layout
A study on the development of computer-aided process planning system for electric product with bending and piercing operations, 626
Subframe
Prototype tryout and die design for automotive parts using welded blank hydroforming, 121
SuperForge
A study on the automated process planning system for cold forging of non-axisymmetric parts using FVM simulation, 524
Superplastic forming (SPF)
Finite element analysis of high strain rate superplastic forming (SPF) of Al–Ti alloys, 469
Superplasticity
Finite element analysis of high strain rate superplastic forming (SPF) of Al–Ti alloys, 469
Surface asperity flattening
A finite-element simulation of asperity flattening in metal forming, 450
Surface reconstruction
Surface reconstruction for mid-slice generation on variable lamination manufacturing, 384
Surface roughness
Modeling of the friction caused by lubrication and surface roughness in sheet metal forming, 60
Development of a surface roughness measurement system using reflected laser beam, 662

Taguchi method
Study on the forming parameters of the metal bellows, 47
Influence of forming parameters on the final subgrain size during hot rolling of aluminium alloys, 245
Tool wear measuring technique on the machine using CCD and exclusive jig, 668
Tailor-welded strip
Springback characteristics of the tailor-welded strips in U-bending, 14
TD process
FE program development for predicting thermal deformation in heat treatment, 546
Technique of optimization cutting speed
A study on the precision machinability of ball end milling by cutting speed optimization, 357
Technology optimisation
Injection moulding simulation results as an input to the injection moulding process, 310

Temperature distribution
Measurement of pressure distribution on die surface and deformation of extrusion die in hot extrusion of 1050 aluminum rod, 421
A study on the thermal behavior of fabrication processes for micro-accelerometer by SOI wafers, 680
Tensile properties
Effect of chlorine on the tensile behavior of reactive-sintered TiAl–Mn alloys, 235
Thixoforming characteristics of thermo-mechanically treated AA 6061 alloy for suspension parts of electric vehicles, 587
Tension
Elastic–plastic finite element method simulation of thin strip with tension in cold rolling, 511
Test specimen size
The effect of test specimen size and strain-rate on liquid segregation in deformation behavior of mushy state material, 551
Thermal crown
Numerical modelling of the thermal deformation of CVC roll in hot strip rolling, 219
Thermal deformation
FE program development for predicting thermal deformation in heat treatment, 546
Thermal deformation analysis
Coupled thermal deformation analysis considering strip tension and with/without strip crown in coiling process of cold rolled strip, 195
Thermal effect
A thermal mixed film lubrication model in cold rolling, 202
Thermal softening
Application of ANN for the dimensional accuracy of workpiece in hot rod rolling process, 214
Thermo-mechanical analysis
Thermo-mechanical analysis of ribbed strip rolling by a three-dimensional rigid–visco-plastic FEM, 189
Thermo-mechanical processing
Deformation processing and mechanical properties of Cu–Cr–X (X = Ag or Co) microcomposites, 272
Thixocasting
The rheological behavior for thixocasting of semi-solid aluminum alloy (A356), 569
Simple rheocasting processes, 594
Thixoforging
Forming and joining of commercial steel grades in the semi-solid state, 562
Thixoforging process
Mechanical characteristics evaluation of hollow shape part with metal matrix composites fabricated by thixoforging process, 574
Thixoforming
Forming and joining of commercial steel grades in the semi-solid state, 562
Billetless simple thixoforming process, 581
Thixoforming characteristics of thermo-mechanically treated AA 6061 alloy for suspension parts of electric vehicles, 587
Thixotransverse impact extrusion
Forming and joining of commercial steel grades in the semi-solid state, 562
Three-wavelength model
A finite-element simulation of asperity flattening in metal forming, 450
TiAl–Mn
Effect of chlorine on the tensile behavior of reactive-sintered TiAl–Mn alloys, 235
Ti–Al–N
Coating materials of TiN, Ti–Al–N, and Ti–Si–N by plasma-enhanced chemical vapor deposition for mechanical applications, 254
TiAlN
Comparison for mechanical properties between TiN and TiAlN coating layers by AIP technique, 260
Ti–6Al–4V alloy
Characterization of deformation stability in hot forging of conventional Ti–6Al–4V using processing maps, 540
TiBN
Properties of TiBN coating on the tool steels by PECVD and its applications, 266
Tilting
NC post-processor for 5-axis milling machine of table-rotating/tilting type, 641
TiN
Coating materials of TiN, Ti–Al–N, and Ti–Si–N by plasma-enhanced chemical vapor deposition for mechanical applications, 254
Comparison for mechanical properties between TiN and TiAlN coating layers by AIP technique, 260
Ti–Si–N
Coating materials of TiN, Ti–Al–N, and Ti–Si–N by plasma-enhanced chemical vapor deposition for mechanical applications, 254
Tool approach direction
Determination of optimal build orientation for hybrid rapid-prototyping, 378
Tool steel
Properties of TiBN coating on the tool steels by PECVD and its applications, 266
Tool wear
A study on the precision machinability of ball end milling by cutting speed optimization, 357
Tool wear measuring technique on the machine using CCD and exclusive jig, 668
Tracking system
Visualization analysis of flow front behavior during filling process of injection mold cavity by two-axis tracking system, 328
TRIP
Estimation of hole flangeability for high strength steel plates, 9
Tube-bulging
Study on the forming parameters of the metal bellows, 47
Tunnel current effect
A study on the thermal behavior of fabrication processes for micro-accelerometer by SOI wafers, 680
Twin roll caster
Semisolid strip casting using a twin roll caster equipped with a cooling slope, 558

U-bending
Springback characteristics of the tailor-welded strips in U-bending, 14
Ultimate tensile strength
Powder injection molding of a 17-4 PH stainless steel and the effect of sintering temperature on its microstructure and mechanical properties, 321
Ultrafine grain
Numerical and experimental investigations of constrained groove pressing and rolling for grain refinement, 208
Ultrasonic vibration cutting
A study on micro-grooving characteristics of planar lightwave circuit and glass using ultrasonic vibration cutting, 396

Vibration motor
Development and manufacturing of hexahedral type vibration motor used for mobile phone, 685
Viscosity model
The rheological behavior for thixocasting of semi-solid aluminum alloy (A356), 569

Visual LISP
A study on the automated process planning system for cold forging of non-axisymmetric parts using FVM simulation, 524
Visualization
Visualization analysis of flow front behavior during filling process of injection mold cavity by two-axis tracking system, 328
Visualized modeling
Modeling of compocasting process and fabrication of AZ91D magnesium alloy matrix composites, 151
VLM-Slicer
Surface reconstruction for mid-slice generation on variable lamination manufacturing, 384
Volume fraction distribution
High strength FGM cutting tools: finite element analysis on thermoelastic characteristics, 351
Volumetric viscosity
Development of constitutive equations for plastic deformation of a porous material using numerical experiments, 161

Warm and hot forging
Properties of TiBN coating on the tool steels by PECVD and its applications, 266
Wear
Comparison for mechanical properties between TiN and TiAlN coating layers by AIP technique, 260
Synthesis and mechanical evaluation of nanocomposite coating layer of nc-TiN/a-Si_3N_4 on SKD 11 steel by sputtering, 283
Integrated analysis for die design including brittle damage evolution, 647
Weldability
A study on prediction of bead height in robotic arc welding using a neural network, 229
Welded blank hydroforming
Prototype tryout and die design for automotive parts using welded blank hydroforming, 121
Welding pressure
Investigation into the improvement of welding strength in three-dimensional extrusion of tubes using porthole dies, 426
Weld-line location
Springback characteristics of the tailor-welded strips in U-bending, 14
Wire breaks
Effect of reduction ratio, inclusion size and distance between inclusions on wire breaks in Cu fine wiredrawing, 416
WIWNU
Friction and thermal phenomena in chemical mechanical polishing, 334
Workability
Improving workability in ironing, 64
Wrinkling
Prototype tryout and die design for automotive parts using welded blank hydroforming, 121

XPS
A study on the chemical mechanical micro-machining (C3M) process and its application, 390

Z map model
Development of simulation system for machining process using enhanced Z map model, 608